



DETAIL 'A'
HEM TO BE ON
INSIDE OF SOCK

LONGITUDINAL SEAMS

TRAILING END HEM

METHOD OF CUTTING MATERIAL
LONGITUDINAL SEAMS TO BE SELVAGE SEWN FOLDED AND RESEWN.
ALL SEAMS AND HEM TO BE NOT LESS THAN 8 STITCHES PER 25mm. THREAD TO BE NOT LESS IN WEIGHT AND QUALITY THAN KNOX'S No 35 NYLON COTTON BLEND.

COLOUR: PLAIN WHITE OR TANGERINE
MATERIAL: NYLON REINFORCED VINYL FRABRIC 10 oz/sq yd.
TENSILE STRENGTH: WARP 85 FELL 80
TEAR STRENGTH: WARP 35 FELL 35
COLOUR FASTNESS: 3-4 TO B.S.S 2662.

ALLOW 6080 mm x 810 mm OF MATERIAL PER WINDSOCK

WINDSOCK CONSTRUCTION